



Hepatitis C Virus (HCV) Surveillance Data James M. Vergeront, MD Director and Medical Epidemiologist Wisconsin AIDS/HIV Program and Hepatitis C Program Wisconsin Division of Public Health Madison, Wisconsin








People living with HCV infection People living with HCV, reported infections: 42,516 Estimated HCV infections: 90,000 One In two not diagnosed Southeastern region accounts for: 45%





























































Wisconsin Department of Corrections

Testing

- All inmates are offered HCV, HIV, and STI testing at intake
- Screening tests are accepted by > 90%
- 16% of inmates tested positive for HCV antibody (2016)

Treatment

- HAV and HBV vaccine are offered to all inmates at intake
- DOC uses the WI Medicaid criteria as a Community of Standard of Care
- \bullet UW Hepatology Clinic is used as the specialty/consultation clinic
- Uncomplicated inmates are treated by DOC doctors
- DOC has treated over 400 immates in the past 12 months at a cost of > \$14 Million for pharmaceuticals



WI Medicaid Program Treatment Criteria

- All HCV treatment regimens require prior authorization
- Patients may be treated at any stage of disease; fibrosis and biopsies are generally not required
- Persons who inject drugs (PWID) are required to participate in a recovery program and abstain for 3 months
- Persons diagnosed with an alcohol abuse disorder are required to abstain from alcohol for 6 months
- In August 2017 GI and ID prescriber requirements were removed



Summary

- An estimated 90,000 people have HCV infection in Wisconsin:
- Increases in new infections among young adults.
- Increases in testing among baby boomers.
- Cases are diagnosed in all counties.
- Half of those infected with HCV have not been tested.
- \bullet HCV and opioid epidemics are affecting the same population.
- The Wisconsin DOC and Medicaid Program have been progressive in their treatment approach of HCV.



Question-and-Answer

Remember to raise your hand and wait until you have the microphone before you ask your question—we are recording!

